

Our Products:

- MS Angles
- MS Beams
- MS Channels
- MS Pipes
- MS Plates
- MS Sheets
- TMT Bars



Contact Us:

E-mail: sales@ferrite.in

Website: www.ferritesteels.com

Address: 803- Excel Plaza, 90 feet road,

Pantnagar, Ghatkopar- East.

Mumbai- 400075



MS BEAMS



Types Of Beams: UB, UC, NPB.

Our Brands:









Beams & Coloumns are charachterized by their profile, their length and their material. We have Parallel flange beams and coloumns in various combinations.

- Narrow Parallel Flange Beams
- Wide Parallel Flange Beams
- Universal Beams
- Universal Coloumns

Characteristics:

To cater broader market segments and to comply different needs of various industries. FERRITE offers structural segments in various characteristics.

- Wide dimensional range
- Cost effective
- Multiple sectional weight
- High strength to weight ratio
- Atmospheric corrosion resistance

INDUSTRIES



Construction & Infrastructure



Oil & Gas



Railways



Power Transmission

Description	Length (mm)	Weight (kg/m)
UC 152X152X23	152.4	23
UC 152X152X30	157.6	30
UC 152X152X37	161.8	37
UC 203X203X46	203.2	46
UC 203X203X52	206.2	52
UC 203X203X60	209.6	60
UC 203X203X71	215.8	71
UC 203X203X86	222.2	86
UC 254X254X73	254.1	73
UC 254X254X89	260.3	89
UC 254X254X107	266.7	107
UC 254X254X132	276.3	132
UC 254X254X167	289.1	167
UC 305X305X97	307.9	97
UC 305X305X118	314.5	118
UC 305X305X137	320.5	137
UC 305X305X158	327.1	158
UC 305X305X198	339.9	198
UC 305X305X240	352.5	240
UC 305X305X283	365.3	283
UC 356X368X129	355.6	129
UC 356X368X153	362	153
UC 356X368X177	368.2	177
UC 356X368X202	374.6	202

Universal Coloumns

Description	Length (mm)	Width (mm)	Weight (kg/m)
UB 203 X 133 X 25	203	133	25.1
UB 203 X 133 X 30	203	133	30
UB 254 X 146 X 31	254	146	31.1
UB 254 X 146 X 37	254	146	37
UB 254 X 146 X 43	254	146	43
UB 305 X 165 X 40	305	165	40.3
UB 305X 165 X 46	305	165	46.1
UB 305 X 165 X 54	305	165	54
UB 356 X 171 X 45	356	171	45
UB 356 X 171 X 51	356	171	51
UB 356 X 171 X 57	356	171	57
UB 356 X 171 X 67	356	171	67.1
UB 406 X 178 X 54	406	171	54.1
UB 406 X 178 X 60	406	178	60.1
UB 406 X 178 X 67	406	178	67.1
UB 406 X 178 X 74	406	178	74.2
UB 457 X 152 X 52	457	152	2000000
	457	152	52.3 59.8
UB 457 X 152 X 60	- 109	2000	V DOSES
UB 457 X 152 X 67	457	152	67.2
UB 457 X 152 X 74	457	152	74.3
UB 457 X 152 X 82	457	152	82.1
UB 457 X 191 X 67	457	191	67.1
UB 457 X 191 X 74	457	191	74.3
UB 457 X 191 X 82	457	191	82
UB 457 X 191 X 89	457	191	89.3
UB 457 X 191 X 98	457	191	98.3
UB 533 X 210 X 82	533	210	82.2
UB 533 X 210 X 92	522	210	92.1
UB 533 X 210 X 101	533	210	101
UB 533 X 210 X 109	533	210	109
UB 533 X 210 X 122	533	210	122
UB 610 X 229 X 101	610	229	101.2
UB 610 X 229 X 113	610	229	113
B 610 X 229 X 135.1	610	229	125.1
B 610 X 229 X 139.9	610	229	139.9

Universal Beams

Description	Length (mm)	Width (mm)	Weight (kg/m)
NPB 100X55	100	55	8.1
NPB 120X60	120	64	10.37
NPB 140X70	140	73	12.89
NPB 160X80	160	82	15.77
NPB 180X90	180	91	18.8
NPB 200X100	200	100	22.36
NPB 200X130	207	133	27.37
NPB 220X110	220	110	26.2
NPB 240X120	240	120	30.71
NPB 270X135	270	135	36.07
NPB 300X150	300	150	42.2
NPB 350X170	360	170	57.1
NPB 400X180	400	180	66.3
NPB 450X190	450	190	77.6
NPB 500X200	500	200	90.7
NPB 600X220	600	220	122

NPB

Description	Length (mm)	Vidth (mm	Weight (kg/m)
B 100 X 50	100	50	7.979
B 150 X 75	150	75	14.997
B 175 X 85	175	85	19.499
B 200 X 100	200	100	25.4
B 250 X 125	250	125	38
B 300 X 140	300	140	48.5
B 350 X 140	350	140	52.9
B 400 X 140	400	140	62.6
B 450 X 150	450	150	73.1
B 500 X 180	500	180	87.7
B 600 X 210	600	210	122.6

MS BEAMS